

## PART NUMBER SELECTOR TABLE

### Ultrastar® DC HC300-series, DC HC330/DC HC320/DC HC310 10TB, 8TB, 6TB, 4TB Data Center Drive

Capacity <sup>3</sup>		512e <sup>1</sup> Format				
		SATA <sup>2</sup>		SAS		
		Base (SE) <sup>4</sup>	SED <sup>5</sup>	Base (SE) <sup>4</sup>	SED <sup>5</sup>	SED-FIPS <sup>6</sup>
10TB	Part # Model #	<b>OB42266</b> WUS721010ALE6L4	<b>OB42270</b> WUS721010ALE6L1	<b>OB42258</b> WUS721010AL5204	<b>OB42262</b> WUS721010AL5201	<b>OB42264</b> WUS721010AL5205
8TB	Part # Model #	<b>OB36404</b> HUS728T8TALE6L4	<b>OB36410</b> HUS728T8TALE6L1	<b>OB36400</b> HUS728T8TAL5204	<b>OB36406</b> HUS728T8TAL5201	<b>OB36412</b> HUS728T8TAL5205
6TB	Part # Model #	<b>OB36039</b> HUS726T6TALE6L4	<b>OB36042</b> HUS726T6TALE6L1	<b>OB36047</b> HUS726T6TAL5204	<b>OB36049</b> HUS726T6TAL5201	<b>OB36050</b> HUS726T6TAL5205
4TB	Part # Model #	<b>OB36040</b> HUS726T4TALE6L4	<b>OB36043</b> HUS726T4TALE6L1	<b>OB36048</b> HUS726T4TAL5204	<b>OB36051</b> HUS726T4TAL5201	<b>OB36052</b> HUS726T4TAL5205

Capacity <sup>3</sup>		512n Format				
		SATA <sup>2</sup>		SAS		
		Base (SE) <sup>4</sup>	SED <sup>5</sup>	Base (SE) <sup>4</sup>	SED <sup>5</sup>	SED-FIPS <sup>6</sup>
4TB	Part # Model #	<b>OB35950</b> HUS726T4TALA6L4	<b>OB36032</b> HUS726T4TALA6L1	<b>OB35919</b> HUS726T4TALS204	<b>OB36017</b> HUS726T4TALS201	<b>OB36020</b> HUS726T4TALS205

<sup>1</sup> 512e models can be converted to 4Kn format and vice versa

<sup>2</sup> SATA P3 Power Disable feature not supported.

<sup>3</sup> One megabyte (MB) is equal to one million bytes, one gigabyte (GB) is equal to 1,000MB (one billion bytes), and one terabyte (TB) is equal to 1,000GB (one trillion bytes) when referring to storage capacity. Actual user capacity may be less depending on operating environment.

<sup>4</sup> Base (SE) = No encryption. Sanitize Overwrite only.

<sup>5</sup> SED: Self Encrypting Drive. TCG-Enterprise and Sanitize Crypto Scramble / Erase

<sup>6</sup> SED-FIPS: SED with certification (SAS only)